

BUSMARK 3CR12 BUS BODY ON ISUZU LVR4CR REAR ENGINE – COACH SPEC SHEET 34 SEATER LUXURY BUS



1. **Construction:**

Bodywork is manufactured from 3CR12 stainless steel tubular sections, Chromaprep sheeting and G.R.P. manufactured front and rear domes. The workmanship shall be of the highest quality and finishing as required by your inspectors. The interior design will consist of scratch resistant GRP moulded window and roof panels with floor material up to window height on the sides.

2. The vehicle body offered will comply with the requirements of the “Compulsory Vehicle Standard” issued by the SABS; and the Road Traffic Act No.29 of 1989 and Regulations as updated.

3. Mud flaps – all wheels.

4. Windscreen wipers plus windscreen washer.

5. Sparewheel carrier – as supplied with chassis.

6. Swing out battery carrier in separate lockable bodyside locker, incorporating a toolbox.

7. Front bumper and rear bumper GRP moulded.

8. Number plate holders.

9. GRP interior ceiling with LED strip lights

10. **Plug coach-type passenger door in front overhang**



11. **Driver's door**

12. SABS approved chevron plate at rear end of body and SABS reflective tape on sides.

13. **Painting:**

Exterior body is prepared with Glasurit high solid paint product in white



14. Control panel on dashboard



15. The **entire floor** will be covered with a **Gerfor ecoflex** flooring designed for critical high wear applications. The wear surface incorporates a heavy emboss ensuring excellent non-slip properties. The floor covering will be standard PVC welded at seams to stop ingress of water.
16. The entrance steps will be illuminated with a steplight.
17. Modesty screen and partition behind driver.



18. Full length hand rail.
19. 2.5 kg Dry Chemical Powder fire extinguisher.
20. Heater demister for windscreen.
21. **Bonded tinted windows**
22. **Elephant ear mirrors**
23. **Dust bin**



24. **Curtains**

25. **Parcelshelves with aircon ducting/ind lights/vents in cloth**



26. **Air 2000 Roof mounted air conditioner**



27. **Luggage lockers in wheelbase (through loading)**



28. **2 * Roll down blinds**

29. **Radio/CD/DVD with 2 * motorized screens and speakers in parcel shelves**



30. **34 * Reclining seats (450mm wide) covered in cloth.** The seat frames shall be of steel tubular construction, powder-coated, and will be supplied and fitted in accordance with an approved layout. Seats will be designed to provide the best comfort and safety features. All seats have been tested in accordance with SABS test specification 1564 of 1992.



31. Armrest on all seats, cup holders and foot rests and grab handles



32. **Air suspension driver's seat**



33. **Laptype safety belts on all seats**

34. **Certified to carry :**

